L Number	Hits	Search Text	DB	Time stamp
-	396	(template same authentica\$4) and code	USPAT:	2003/08/18 14:56
			US-PGPUB	·
-	62	(template same authentica\$4) same id	USPAT;	2003/08/18 14:57
			US-PGPUB	,
-	230	template with authenticat\$4	USPAT;	2003/08/18 14:58
			US-PGPUB	
-	56	(template with authenticat\$4) and (insert\$4 with data)	USPAT;	2003/08/18 15:11
			US-PGPUB	
-	62	(template same authentica\$4) same id	USPAT;	2003/08/18 15:03
			US-PGPUB	
-	140	template same "template id"	USPAT;	2003/08/19 11:09
			US-PGPUB	
-	118	(template same "template id") and (insert\$4 or extract\$4)	USPAT;	2003/08/18 15:12
			US-PGPUB	
-	26	(template same "template id") same (insert\$4 or extract\$4)	USPAT;	2003/08/21 15:11
		•	US-PGPUB	
- '	86	(template same "template id") and extract\$4	USPAT;	2003/08/18 15:18
		, , , , , , , , , , , , , , , , , , ,	US-PGPUB	
-	36	(template same "template id") same (insert\$4 or retriev\$4)	USPAT;	2003/08/18 15:26
1 .			US-PGPUB	
-	1573	template same management	USPAT;	2003/08/18 15:27
			US-PGPUB	
-	63	template adj management	USPAT;	2003/08/18 15:28
			US-PGPUB	
-	3	(template adj management) same insert\$4	USPAT;	2003/08/18 15:28
			US-PGPUB	
-	483	template same authentica\$4	USPAT;	2003/08/19 09:42
			US-PGPUB	
-	234	template with authentica\$4	USPAT;	2003/08/19 09:43
			US-PGPUB	
-	0	"L140" same encrypt\$4	USPAT;	2003/08/19 11:08
		HI 440H 1 404	US-PGPUB	0000/00/40 44:00
-	0	"L140" and encrypt\$4	USPAT;	2003/08/19 11:08
		/*	US-PGPUB	2002/00/40 44:20
-	29	(template same "template id") and encrypt\$	USPAT; US-PGPUB	2003/08/19 11:38
	1868	authenticat\$4 with document	USPAT;	2003/08/19 11:54
-	1000	addienticator with document	US-PGPUB	2003/00/19 11.54
1_	27	(authenticat\$4 with document) same reconstruct\$4	USPAT;	2003/08/19 11:50
-		(authenticated with document) same reconstructed	US-PGPUB	2000/00/10 11.00
1_	0	((authenticat\$4 with document) same reconstruct\$4) same	USPAT;	2003/08/19 11:39
	J	template	US-PGPUB	2000/00/10 11:00
-	2	(authenticat\$4 with document) same (re adj1 generat\$4)	USPAT;	2003/08/19 11:53
	_		US-PGPUB	
1- 1	2	(authenticat\$4 with document) same (re adj generat\$4)	USPAT;	2003/08/19 11:53
1		, , , , , , , , , , , , , , , , , , , ,	US-PGPUB	
-	29	(authenticat\$4 with document) same template	USPAT;	2003/08/19 12:41
		, , , , , , , , , , , , , , , , , , , ,	US-PGPUB	
-	0	"authentication of a template"	USPAT;	2003/08/19 12:42
		, '	US-PGPUB	
-	517	authenticat\$4 same template	USPAT;	2003/08/19 12:42
		· ·	US-PGPUB;	
			EPO; JPO;	
			IBM_TDB	
-	3	(authenticat\$4 with template) and "template id"	USPAT;	2003/08/19 12:43
			US-PGPUB;	
			EPO; JPO;	
1			IBM_TDB	
-	252	authenticat\$4 with template	USPAT;	2003/08/19 13:05
			US-PGPUB;	
			EPO; JPO;	
L	1		IBM_TDB	<u> </u>

-	2598	separate with template	USPAT;	2003/08/19 12:55
		,	US-PGPUB;	
			EPO; JPO;	
			IBM_TDB	
	308	/aanarata with tamanlata) aama data		2002/09/40 42:56
-	306	(separate with template) same data	USPAT;	2003/08/19 12:56
			US-PGPUB;	
			EPO; JPO;	•
			IBM_TD8	
-	35	((separate with template) same data) and encrypt\$4	USPAT;	2003/08/19 12:56
			US-PGPUB;	
			EPO; JPO;	
			IBM_TDB	
_	11	(authenticat\$4 with template) same separat\$4	USPAT;	2003/08/19 13:06
	''	(authorition of the complete)	US-PGPUB	2000,00,10 10.00
			EPO; JPO;	
		//	IBM_TDB	0000/00/40 40:05
-	1	((authenticat\$4 same template) same (separate distribut\$4))	USPAT;	2003/08/19 13:25
		and "template id"	US-PGPUB	
-	75	(authenticat\$4 same template) same (separate distribut\$4)	USPAT;	2003/08/19 13:25
1			US-PGPUB	
-	0	(template same "template id") same (insert\$4 or extract\$4)	USPAT;	2003/08/21 15:12
	1	same encryp\$4	US-PGPUB	
-	1 · o	(template same "template id") same (insert\$4 or extract\$4)	USPAT:	2003/08/21 15:14
		same crypt\$10	US-PGPUB	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
_	344	template same encryp\$4	USPAT;	2003/08/21 15:14
-	344	tomplate same enorypo n	US-PGPUB	2000/00/21 10.14
		1		0000/00/04 45:44
-	38	template same encryp\$4 same extract\$	USPAT;	2003/08/21 15:14
			US-PGPUB	
-	923	encrypt\$4 adj2 (database storage)	USPAT;	2003/08/26 07:45
İ		·	US-PGPUB	
-	346	encrypt\$4 adj (database storage)	USPAT;	2003/08/26 07:46
	1		US-PGPUB	
-	133	encrypt\$4 adj database	USPAT;	2003/08/26 07:55
		, , , , , , , , , , , , , , , , , , ,	US-PGPUB	
_	1 1	(encrypt\$4 adj database) same template	USPAT;	2003/08/26 07:48
	'	(oner) pro rady databases / same template	US-PGPUB	
ł	41	(encrypt\$4 adj database) same store	USPAT;	2003/08/26 07:48
-	"	(encryptor auf database) same store	US-PGPUB	2003/00/20 07.40
		LIC 5007040 A DID	1	2002/00/26 07:55
-	1	US-5907848-A.DID.	USPAT;	2003/08/26 07:55
			US-PGPUB	0000/00/00 07 55
-	40	(encrypt\$4 adj storage) same store	USPAT;	2003/08/26 07:55
			US-PGPUB	
-	217	encrypt\$4 adj storage	USPAT;	2003/08/26 08:24
			US-PGPUB	,
-	242	encrypt\$4 adj data adj packet	USPAT;	2003/08/26 08:26
		·	US-PGPUB	
-	150	encrypted adj data adj packet	USPAT;	2003/08/26 08:41
		, , , , , , , , , , , , , , , , , , , ,	US-PGPUB	, , , ,
_	55	encrypting adj data adj packet	USPAT;	2003/08/26 09:05
		and the same and broker	US-PGPUB	
_	268	reconstruct\$4 with template	USPAT;	2003/08/26 09:12
-	200	reconstructiva with template	US-PGPUB	2000/00/20 09.12
	25	(reconstruct@d.viith templete) with dete		2003/00/20 00:00
-	25	(reconstruct\$4 with template) with data	USPAT;	2003/08/26 09:06
	_		US-PGPUB	
-	2	reconstruct\$4 with document with template with data	USPAT;	2003/08/26 09:13
		,	US-PGPUB	
-	5	reconstruct\$4 with document with template	USPAT;	2003/08/26 09:15
			US-PGPUB	
-	10	(reconstruct\$4 with document) same template	USPAT;	2003/08/26 09:18
1		,	US-PGPUB	
_	16	(reconstruct\$4 same document) same template	USPAT;	2003/08/26 09:18
	.0	1	US-PGPUB	= 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3
1_	5	template and "template id" and authenticat\$4 and	USPAT;	2003/08/26 10:21
1-		reconstruct\$4 and encrypt\$4	US-PGPUB	2000/00/20 10.21
	<u> </u>	тесопъниская ани енстуркая	100-FGFUB	L

288	_					•
1.		-	288	template and authenticat\$4 and reconstruct\$4 and encrypt\$4		2003/08/26 10:22
- 0 template same key and authenticat\$4 and reconstruct\$4 USPAT, USPGPUB 1:00 1:0		-	75		USPAT;	2003/08/26 11:02
- 61 template same identification and authenticat\$4 and reconstruct\$4 template same "template id" and authenticat\$4 and reconstruct\$4 template same identification US-PG-UB USPAT,		-	0		USPAT;	2003/08/26 11:02
-		-	61		USPAT;	2003/08/26 11:07
3687 template same identification USPAT; USPA	ĺ	-	6	template same "template id" and authenticat\$4 and	USPAT;	2003/08/26 11:05
-		-	3687		USPAT;	2003/08/26 11:08
27 create with template same identification same store USPAT, US-PGPUB USPAT		-	45	generate same template same identification same store	USPAT;	2003/08/26 11:11
-		-	27	create with template same identification same store	USPAT;	2003/08/26 12:49
- 3687 template same identification USPAT; US-PGPUB USPA		-	0	template same identifcation	USPAT;	2003/08/26 12:49
153		-	3687	template same identification	USPAT;	2003/08/26 12:53
40		-	153	(template same identification) same authenticat\$4	USPAT;	2003/08/26 12:50
- 413 generat\$4 with template same identification		-	40		USPAT;	2003/08/26 12:50
54		-	413	generat\$4 with template same identification	USPAT;	2003/08/26 12:54
249		-	54	generat\$4 adj template same identification	USPAT;	2003/08/26 12:54
S-PGPUB US-PGPUB		-	17	generat\$4 adj template same identification same stor\$3		2003/08/26 12:56
US-PGPUB USPAT; US-PGPUB US-PAT; US-PAT; US-PAT; U		-	249	(generat\$4 adj template) same stor\$3		2003/08/26 12:56
- 4 "document authentication code" - 10 "authentication code" same template - 11 6385595.pn 12 6385595.pn 13 6385595.pn 14 6385595.pn 15 6385595.pn 16 6385595.pn 17 6385595.pn 18 6385595.pn 19 6385595.pn 10 separate near4 authenticat\$ near template - 19 6385595.pn 10 separate near4 authenticat\$4 near template - 10 separate near4 authenticat\$4 near template - 10 separate near4 authenticat\$4 near template - 10 separate near4 authenticat\$4 near10 template - 10 separate near10 authenticat\$4 near10 template - 11 separate same (authenticat\$4 near10 template - 12 separate same (authenticat\$4 near10 template) same - 15 compar\$4 - 16 compar\$4 - 17 compar\$4 - 18 compar\$4 - 2003/08/27 13:07 - 2003/08/27 14:07 - 18 compar\$4 - 18		-	27	((generat\$4 adj template) same stor\$3) same code	•	2003/08/26 13:02
10		-	0	"template document authentication code"	,	2003/08/26 13:02
1 6385595.pn. US-PGPUB USPAT; US-PGP		-	4	"document authentication code"		2003/08/26 13:12
- 0 separate near4 authenticat\$ near template		-	10	"authentication code" same template		2003/08/27 14:04
- 0 separate near4 authenticat\$4 near template		-	1	6385595.pn.		2003/08/26 15:17
- 2 separate near10 authenticat\$4 near10 template - 4 separate same (authenticat\$4 near10 template) same		-	0	separate near4 authenticat\$ near template		2003/08/27 13:37
- 4 separate same (authenticat\$4 near10 template) same		-	0	separate near4 authenticat\$4 near template		2003/08/27 13:37
- 79 compar\$4 US-PGPUB (authenticat\$4 near10 template) same compar\$4 US-PGPUB USPAT; US-PGPUB USPAT		-	2			2003/08/27 13:38
- 0 electronic adj3 bill same auhenticat\$4 same template US-PGPUB USPAT; US-PGPUB US-PG		-		compar\$4		2003/08/27 13:39
- US-PGPUB USPAT; US-PGPUB US		-	79	(authenticat\$4 near10 template) same compar\$4		2003/08/27 13:40
template (electronic adj statement) same auhenticat\$4 same template US-PGPUB USPAT; US-PGPUB		-	. 0	electronic adj3 bill same auhenticat\$4 same template		2003/08/27 14:06
- 2 (electronic adj statement) same template US-PGPUB USPAT; US-PGPUB		-	0	template		2003/08/27 14:07
- US-PGPUB USPAT; 2003/08/27 14:08 - 2 (invoice adj3 statement) same template US-PGPUB USPAT; US-PGPUB USPAT; 2003/08/27 14:08		-	0			2003/08/27 14:07
US-PGPUB US-PGPUB USPAT; 2003/08/27 14:08		-	2		,	2003/08/27 14:07
		-	0	(electronic adj3 invoice adj3 statement) same template		2003/08/27 14:08
		-	2	(invoice adj3 statement) same template	USPAT;	2003/08/27 14:08

		•		
-	2	(electronic adj3 invoice) same template	USPAT; US-PGPUB	2003/08/27 14:09
-	20	(electronic adj3 (invoice bill)) same template	USPAT; US-PGPUB	2003/08/27 14:11
-	14	((electronic adj3 (invoice bill)) same template) and authentic\$4	USPAT; US-PGPUB	2003/08/27 14:10
-	1	(electronic adj3 (invoice bill)) same template same authentic\$4	USPAT; US-PGPUB	2003/08/27 14:12
-	1	(electronic adj3 (invoice bill)) same template same encrypt\$4	USPAT; US-PGPUB	2003/08/27 14:13
	3	(electronic with (invoice bill)) same template same encrypt\$4	USPAT; US-PGPUB	2003/08/27 14:15
- '	0	(electronic with (invoice bill)) same template same encrypt\$4 and extract	USPAT; US-PGPUB	2003/08/27 14:15
-	1	(electronic with (invoice bill)) same template same encrypt\$4 and extract\$4	USPAT; US-PGPUB	2003/08/27 14:16
-	1	(electronic with (invoice bill)) same template same security and extract\$4	USPAT; US-PGPUB	2003/08/27 14:34
-	1	(electronic with (invoice bill)) same template same security	USPAT; US-PGPUB	2003/08/27 14:35
-	13	(invoice bill) same template same security	USPAT; US-PGPUB	2003/08/27 14:37
-	260	(invoice bill) same template	USPAT; US-PGPUB	2003/08/27 14:37
-	40	electronic same (invoice bill) same template	USPAT; US-PGPUB	2003/08/27 14:45
-	3 4	electronic same (invoice bill) same template same compar\$4	USPAT; US-PGPUB USPAT;	2003/08/27 14:52
-	13	electronic same (invoic\$4 bill\$4) same template same compar\$4 electronic same (invoic\$4 bill\$4 statement) same template	US-PGPUB USPAT;	2003/08/27 14:53
	0	same compar\$4 ("L1authenticat\$4").PN.	US-PGPUB USPAT;	2003/08/27 14:33
_	120	(713/160).CCLS.	US-PGPUB USPAT;	2003/08/29 12:17
_	0	("headersamedatasameauthentica\$4").PN.	US-PGPUB USPAT;	2003/08/29 12:17
_	781	header same data same authentica\$4	US-PGPUB USPAT;	2003/08/29 12:17
-	19	(header same data same authentica\$4) same compare	US-PGPUB USPAT;	2003/08/29 12:18
-	36676	header same data	US-PGPUB USPAT;	2003/09/08 15:47
-	789	header same data same authentica\$4	US-PGPUB USPAT;	2003/09/08 15:47
-	57	header same data same authentica\$4 same compar\$4	US-PGPUB USPAT;	2003/09/09 09:19
-	28	(header same data same authentica\$4 same compar\$4) and	US-PGPUB USPAT;	2003/09/09 09:19
-	58	template\$4 header same data same authentica\$4 same compar\$4	US-PGPUB USPAT; US-PGPUB	2003/09/09 11:33
-	28	(header same data same authentica\$4 same compar\$4) and template	USPAT; US-PGPUB	2003/09/09 10:56
-	3	(authenticat\$4 adj3 template) same code	USPAT; US-PGPUB	2003/09/09 10:56
-	46	authenticat\$4 adj3 template	USPAT; US-PGPUB	2003/09/09 11:00
-	41	encrypt\$4 adj3 static	USPAT; US-PGPUB	2003/09/09 11:33
-	16	decrypt\$4 adj3 static	USPAT; US-PGPUB	2003/09/09 13:42
-	35	decrypt\$4 adj3 template	USPAT; US-PGPUB	2003/09/09 13:48
	·	· · · · · · · · · · · · · · · · · · ·		

-	74	decrypt\$4 with template	USPAT;	2003/09/09 13:48
			US-PGPUB	
-	6	(user adj2 entry) same template same insert\$4	USPAT:	2003/09/10 11:32
			US-PGPUB	
l _	1632	(user data) same template same insert\$4	USPAT:	2003/09/10 11:32
	1002	(user data) same template same inserto-	US-PGPUB	2000/00/10 11.02
		///		0000/00/40 44:04
-	8	(user adj data) same template same insert\$4	USPAT;	2003/09/10 11:34
		l	US-PGPUB	
-	155	(user adj data) same form same insert\$4	USPAT;	2003/09/10 11:34
			US-PGPUB	
-	33	(user adj data) with insert\$4 with form	USPAT;	2003/09/10 12:32
			US-PGPUB	
-	2660	(data) with insert\$4 with form	USPAT;	2003/09/10 12:32
		(US-PGPUB	
_	369	user same (data with insert\$4 with form)	USPAT;	2003/09/10 12:33
-	309	user same (data with insertor with form)		2003/09/10 12.33
			US-PGPUB	
-	69	(user same (data with insert\$4 with form)) and authentica\$4	USPAT;	2003/09/11 10:56
			US-PGPUB	
-	37	(user same (data with merg\$4 with form)) and authentica\$4	USPAT;	2003/09/11 11:03
			US-PGPUB	
_	2	(user same (data with merg\$4 with form)) same (encrypt\$4	USPAT;	2003/09/11 11:04
	_	hash)	US-PGPUB	
_	46	(user same (data with merg\$4 with form)) and (encrypt\$4	USPAT:	2003/09/11 11:14
-	-	1, , , , , , , , , , , , , , , , , , ,	US-PGPUB	2003/03/11 11.14
	000	hash)		0000/00/44 44 45
-	829	(data with combin\$4 with form) and (encrypt\$4 hash)	USPAT;	2003/09/11 11:15
	. =		US-PGPUB	
-	67	(user with data with combin\$4 with form) and (encrypt\$4	USPAT;	2003/09/11 11:16
		hash)	US-PGPUB	
-	6022	(data merg\$4 form) same hash	USPAT;	2003/09/11 11:17
		,	US-PGPUB	
-	1	(data with merg\$4 with form) same hash	USPAT;	2003/09/11 11:18
	,	(US-PGPUB	
_	4	(data with merg\$4 with form) same authenticat\$4	USPAT:	2003/09/11 11:18
-	-	(data with mergan with form) same authenticatan	US-PGPUB	2003/09/11 11.10
		(d = 4		0000000444440
-	0	(data with merg\$4 with template) same authenticat\$4	USPAT;	2003/09/11 11:18
			US-PGPUB	
-	0	(merg\$4 with template) same authenticat\$4	USPAT;	2003/09/11 11:19
			US-PGPUB	,
-	0	(merg\$4 with static) same authenticat\$4	USPAT;	2003/09/11 13:33
		· -	US-PGPUB	
-	20	"previous user" and "current user" and "template"	USPAT;	2003/09/11 13:46
		Process and an annual and an an annual and an an an annual and an	US-PGPUB	
i _	4	insert same user same previous same template	USPAT;	2003/09/11 13:48
_	· ·	moort sume user same previous same template	US-PGPUB	2000/00/11 10.40
	1 ^	"Degument Authorthication Cade" and "terrolate"		2002/00/44 42:40
-	0	"Document Authenthication Code" and "template"	USPAT;	2003/09/11 13:49
,	_		US-PGPUB	
-	0	"Authenthication Code" and "template"	USPAT;	2003/09/11 13:49
	<u>:</u>		US-PGPUB	
-	34	"user data" same "previous users"	USPAT;	2003/09/11 13:50
,			US-PGPUB	
	29	"user data" same "previous users" and form	USPAT;	2003/09/11 13:53
		,	US-PGPUB	
1.	10	"user data" and "previous users" and form and template and	USPAT;	2003/09/11 13:55
-	'0	insert\$4 and extract\$4		2000/03/11 10:00
	L	mserior and extractor	US-PGPUB	